




# Q-RAILING DESIGNER SYSTEMS

THE IDEAL SOLUTION FOR EVERY RAILING PROJECT



YOUR CHOICE IN RAILING SYSTEMS

**Q-railing**



# BRING YOUR VISION TO LIFE

WELCOME TO Q-RAILING, YOUR SOURCE FOR INNOVATIVE, HIGH GRADE, DESIGNER RAILING SYSTEMS. OUR SYSTEMS SERVE AS SUPPORTS AND HANDRAILS ALONG STEPS AND STAIRWAYS, AND AS SAFETY BARRIERS AROUND BALCONIES AND BETWEEN FLOOR LEVELS.

This brochure provides an overview of our complete systems, all of which are built from our quality modular products. In fact, all 4000+ of our individual products are modular in design, largely interchangeable and quick and straight forward to install. This means that you are free to combine elements from various systems to create a completely new look. With Q-railing, your design possibilities are truly endless!

For more detailed information about all of our systems and individual products, please visit [www.q-railing.com](http://www.q-railing.com), where you can enter the webshop or request a copy of our product catalogue.

## WHY Q-RAILING?

### QUALITY

Get the high quality your projects demand

- Consistently high grade surface finish
- Extremely accurate dimensions and tight tolerances
- Q-railing is certified to ISO 9001:2008

### EASY ORDERING

Start construction without delay

- 99% of our products are available from stock
- Sales Consultants who are ready to help
- 24/7 ordering on our webshop; ordering by phone or email during business hours

### WIDE RANGE

Choose from a large variety of railing systems

- Products are modular; mix and match among styles and systems
- Round, square, oval and flat shapes are available
- Q-railing products are made of high quality stainless steel, grades 304, 316 or 2205, aluminium, wood or zinc

### SAFETY

Rest assured that all products and systems have been extensively tested

- Q-railing systems are tested and approved according to the main European building codes and standards
- All Q-railing products are CE marked; Documents of Performance are available on request

- All products are tested in Q-railing's in-house test laboratory
- Quality confirmed by certification from independent international testing institutions and leading Enforcing Authorities

### INNOVATION

Deliver a state-of-the-art end result every time

- Approximately 150 new products and product improvements introduced each year
- Ground-breaking new solutions make installation faster and easier
- Products are designed to make welding unnecessary

### DESIGN

Benefit from a design focus

- Timeless good looks – created by our design team and award-winning designers
- Straightforward designs with easy installation methods that help you achieve significant savings during the construction process
- Safety and practicality always assured



Management System  
ISO 9001:2008  
ID 9105072449



# CONTENT

D LINE 4

## GLASS RAILING SYSTEMS

### LINEAR FIXING

EASY GLASS® PRO 6  
EASY GLASS® SLIM 8  
EASY GLASS® 3KN 10

### POINT FIXING

EASY GLASS® MODEL 61-62 12  
EASY GLASS® MODEL 6000 13  
EASY GLASS® MODEL 0763 14  
EASY GLASS® MODEL 4762 15  
EASY GLASS® MODEL 0760-0766 16  
EASY GLASS® MODEL 4747 17  
EASY GLASS® MODEL 0749 18  
EASY GLASS® MODEL 6507-6508 19

## BALUSTER RAILING SYSTEMS

DUO LINE 20  
QUICKRAIL® 22  
LINEAR LINE 24  
SQUARE LINE® 26  
Q-LINE 28  
ULTRA RANGE 30



EASY GLASS® PRO



EASY GLASS® SLIM



EASY GLASS® 3KN



DUO LINE



Q-LINE



# D LINE

## BLUEPRINT FOR QUALITY



CREATED BY THE RENOWNED DANISH DESIGNER KNUD HOLSCHER, D LINE IS ONE OF THE MOST DESIRED RAILING SYSTEMS IN THE WORLD AND HAS BEEN AWARDED THE PRESTIGIOUS RED DOT DESIGN AWARD.

Available only in high-grade 316 quality stainless steel, d line is manufactured to the highest standards for both indoor and outdoor use and is a delight to install, use and experience. With its varieties in baluster railings, structural glazing and handrails, the system gives you numerous options.

Behind d line's stunning aesthetics is an exceptional practicality that thrills designers and builders alike. d line is constructed of a series of standardized, modular components. On-site fabrication and welding are both eliminated.

GOEDKEURING  
VOLGENS EN ISO 9001  
NEN 2608

STATISCHE  
BERECHNUNG  
GEMÄß TRAV

APPROVED  
to BS 6180



- Received the prestigious Red Dot Design Award
- Excellent high-grade 316 quality stainless steel
- Ultimate modularity
- Varieties in baluster railings, structural glazing and handrails
- Able to cope with heavy loads

**Designed for:** Light, medium and extra heavy use  
**Use:** Indoor and outdoor  
**Varieties:** Top and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 10-25,52 mm

- Extras:**
- Can be finished with additional handrail
  - Matching cover caps for baluster posts are available





- Incredibly easy, cost-saving installation
- Uses cost-effective hexagon head anchors instead of countersunk anchors
- The two top mount base shoes require fewer anchors than other systems
- All mounting and adjustment done from the inside of the balustrade
- Suitable for even the most challenging construction situations
- The 'F' shaped base shoe can be installed directly on the edge of a balcony
- Integrated water drainage system

# EASY GLASS® PRO

## ALIGNMENT MADE EASY

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

EASY GLASS® PRO: THE ONLY BASE SHOE THAT LETS YOU FINE-TUNE THE ADJUSTMENT OF EACH GLASS PANEL FROM JUST ONE SIDE. PRO IS THE IDEAL SOLUTION FOR CHALLENGING CONSTRUCTION SITUATIONS.

With Easy Glass Pro you can make all necessary glass adjustments from the installation side – no bolts, screw tightening, scaffolding or any special tool required!

The system includes four base shoe models: Two for top mounting and two for fascia mounting. You can easily adjust the glass panels by up to 10mm in any direction using the new Safety Wedge system – all from the inner side of the railing system!

The Easy Glass Pro base shoes do not require counter-sunk anchors. You get to use the more cost-effective hexagon head anchors instead. Also, the two top mount profiles require fewer anchors than other systems. Two benefits of the Pro are the 'F' shaped base shoe (for top mounting) and the 'Y' shaped base shoe (for fascia mounting). Both are designed especially for non-finished floors, and let you place the profiles as close as possible to the edge of the concrete.



APPROVED  
to BS 6180

GEPRÜFT NACH SCHWEIZER BAUSTANDARD  
teroplan



GOEDKEURING  
VOLGENS BB2012  
EUROCODES  
1990-1999:2011  
NEN 2608

STATISCHE  
BERECHNUNG  
GEMÄß TRAV



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Aluminium  
**Infills:** Glass  
**Glass thickness:** 12-21,52 mm

- Extras:**
- Can be finished with cap rail and/or additional handrail
  - Connection pins are available to connect base shoes
  - Unique finish provides a stainless steel effect that eliminates the need for cladding







- Economical glass balustrade solution
- Lightweight base shoe
- Quick and easy installation
- Available with stainless steel or stainless steel effect aluminium cladding
- Integrated water drainage system



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Top and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Aluminium  
**Infills:** Glass  
**Glass thickness:** 12–21,52 mm

**Extras:**

- Can be finished with cap rail and/or additional handrail


# EASY GLASS® SLIM

## SLIM DESIGN, BIG IMPACT

BRING A DRAMATIC 'WOW' FACTOR TO YOUR PROJECT. EASY GLASS® SLIM COMBINES PERFECT DESIGN AND OPTIMAL TRANSPARENCY INTO AN ECONOMICAL GLASS BALUSTRADE SOLUTION. THANKS TO ITS LIGHT WEIGHT BASE SHOE, EASY GLASS® SLIM IS EASY TO MANOEUVRE ON SITE, SAVING INSTALLATION TIME!

Easy Glass Slim is a complete and affordable solution for both interiors and exteriors. It is perfect for private residences, commercial buildings, retail shops and more – anywhere that calls for a minimalist and transparent look, where a maximum load of 1 kN is sufficient.

Due to its unique Safety Wedge system, installing the glass panels is fast and easy. Easy Glass Slim is a great example of how design, safety and functionality go hand in hand, and is an ideal choice for stairs, balconies and other private or light commercial railing solutions.







- Robust and elegant design
- Tested to resist linear line load forces up to 3 kN
- Designed especially for crowded public spaces
- Quick and easy installation
- Available with stainless steel or stainless steel effect aluminium cladding
- Integrated water drainage system



# EASY GLASS® 3KN

## EXTRA STRONG, UNINTERRUPTED VIEWS

EASY GLASS® 3KN WAS DESIGNED TO COPE WITH VERY HEAVY LOADS IN PUBLIC AREAS WHILE PROVIDING MAXIMUM TRANSPARENCY. THE RESULT: CLEAR VISIBILITY AND AN INVIGORATING SENSE OF FREEDOM.

The robust Easy Glass 3kN creates a balustrade with an uninterrupted view and a spectacular glazed appearance. Construct a continuous series of glass panels as long as you need, without any upright posts to detract from the look.

Easy Glass 3kN meets worldwide safety and building regulations and is able to resist linear line load forces up to 3 kN. It is therefore suitable for use in high-demand public areas such as sports stadiums or airports. The system is easily installed on site, with no welding needed. The unique Safety Wedge system guarantees the required connection between the glass and the base shoe, saving time aligning the glass panels, and ensuring a quick, easy and secure installation.



**Designed for:** Extra strong use  
**Use:** Indoor and outdoor  
**Varieties:** Top and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Aluminium  
**Infills:** Glass  
**Glass thickness:** 19-31,52 mm

**Extras:**

- Can be finished with cap rail and/or additional handrail







**Designed for:** Light use  
**Use:** Indoor and outdoor  
**Varieties:** Top and in-floor mount  
**Application:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 12-17,52 mm

**Extras:**

- Can be finished with cap rail and/or additional handrail
- Matching base covers available



**Designed for:** Light use  
**Use:** Indoor and outdoor  
**Varieties:** Top mount  
**Application:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 12-17,52 mm

**Extra:**

- Can be finished with cap rail and/or additional handrail
- Security pin for base glass clamp is available



## EASY GLASS® MODEL 61-62

### A NEW WAY TO EXPRESS MINIMALISM

LOOKING FOR A SOLUTION THAT IS COMPLETELY DIFFERENT AND MINIMALIST? THE SLEEK DESIGN OF THE EASY GLASS® MODEL 61 AND EASY GLASS® MODEL 62 BASE GLASS CLAMPS GIVES YOU A UNIQUE WAY TO ACHIEVE A FULLY TRANSPARENT VIEW. WHETHER YOUR VISION CALLS FOR A CURVED OR ANGULAR DESIGN, YOUR GLASS PANELS WILL BE SECURELY SUPPORTED IN STYLE.

Top mount and in-floor mount clamps are available, and both are easy to install. Choose from two different shapes: model 61 is sleek and round, while model 62 is characterized by angular square lines. For the perfect finishing touch, be sure to use the corresponding base cover caps.

- Minimalist base glass clamp system
- Available in round or square shapes
- Easy mounting thanks to elongated holes

## EASY GLASS® MODEL 6000

### MAKE A DESIGN STATEMENT

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

SOMETIMES YOU JUST DO NOT WANT AN ALUMINIUM CHANNEL ACROSS THE BOTTOM OF YOUR BALUSTRADE. FOR THOSE WHO ARE LOOKING FOR SOMETHING DAZZLINGLY DIFFERENT, EASY GLASS® MODEL 6000 SHOWS HOW Q-RAILING SETS THE STANDARD FOR THE ULTIMATE DESIGNS IN GLASS RAILING SYSTEMS.

Easy Glass model 6000 is an eye-catching and distinctive base glass clamp that resembles a wide seashell. Fixed at intervals along the bottom of a glass railing, Easy Glass model 6000 makes it easy to create a design statement. Model 6000's single anchor system provides proven strength for your glass balustrades. The base shoe is designed for light use and is therefore ideal for use in private residences and light commercial property.

- Eye-catching design
- Surface mounted glass clamp with easy single anchor installation
- Built-in spirit level
- No visible screws





**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 and 316  
**Infills:** Glass  
**Glass thickness:** 12-21,52 mm

**Extras:**

- Can be finished with cap rail and/or additional handrail
- Optional second anchor fixing



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 8-17,52 mm

**Extra:**

- Can be finished with cap rail and/or additional handrail

## EASY GLASS® MODEL 0763

### EXTEND GLASS OVER THE FASCIA

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

THE SMOOTH, RECTANGULAR-SHAPED EASY GLASS® MODEL 0763 OFFERS YOU THE BEST OF TWO WORLDS: THANKS TO ITS MOVEABLE GLASS PIN, THIS VERSATILE COMPONENT CAN BE USED AS EITHER A GLASS CLAMP OR A GLASS ADAPTER. EITHER WAY, YOU GET ABSOLUTE SAFETY, TIMELESS AESTHETICS AND APPEALING DESIGN.

Specific to this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. You can install MOD 0763 as a glass clamp at the bottom edge between the glass panels, or place two adapters at the lower edge of each glass panel and secure with the glass pins. Either way, the high quality stainless steel can be used both indoors and outdoors on staircases and balustrades. MOD 0763 is truly a sight to behold!

- Geometric smart design
- Suitable as a glass clamp or glass adapter
- Tested to resist linear line load forces up to 1 kN
- Finished with a stainless steel cover cap



## EASY GLASS® MODEL 4762

### SOPHISTICATION MEETS SAFETY

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

THE ELEGANTLY SQUARE-SHAPED EASY GLASS® MODEL 4762 IS UNIQUE IN THE MARKET AND TRULY EMBODIES THE SAYING 'LESS IS MORE'.

A sophisticated glass adapter, the Easy Glass MOD 4762 can be the 'crown jewel' in your project, a breathtaking design element that combines safety with ease of installation. MOD 4762 incorporates a built-in spirit level that simplifies accurate alignment. The adapter is available in 316 quality, suitable for indoor or outdoor use.

- Unique rectangular design
- Finished with a stainless steel cover cap
- Built-in spirit level
- Single anchor installation system (with the option of a second fixing)





**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 and 316  
**Infills:** Glass  
**Glass thickness:** 8-25,52 mm

**Extra:**

- Can be finished with cap rail and/or additional handrail



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 8,76-21,52 mm

**Extra:**

- Can be finished with cap rail and/or additional handrail

# EASY GLASS® MODEL 0760-0766

## FIRST-CLASS MULTIFUNCTIONAL DESIGN

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

FIND THE IDEAL BALANCE BETWEEN HIGH DESIGN STAINLESS STEEL DETAILS AND THE BEAUTIFUL TRANSPARENCY OF A GLASS BALUSTRADE WITH THE ELEGANT EASY GLASS® MODEL 0760-0766 GLASS ADAPTER.

With MOD 0760-0766, the glass panels will appear to float! Characteristic of this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. The MOD 0760-0766 glass adapter comes in three different sizes, each available with a fixed or adjustable angle which easily adapts to your requirements. These attractive adapters feature a single anchor installation system and built-in spirit level that saves installation time, even in difficult situations. Each glass adapter features two closing caps to ensure the complete system provides maximum safety.

- Glass adapter available in three sizes
- Single anchor installation
- Ideal for compact surfaces and challenging building constructions
- Offers simple adjustability
- Built-in spirit level

# EASY GLASS® MODEL 4747

## MINIMALIST SQUARE

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

DO YOU WANT TO COMBINE A MINIMALIST SQUARE SHAPE WITH AN UNPARALLELED VIEW? CHOOSE EASY GLASS® MOD 4747. THE EXTREMELY MODERN DESIGN OF THIS SQUARE GLASS ADAPTER BRINGS YOUR VISION TO LIFE.

MOD 4747, the minimalist square solution in the Easy Glass range, is just what you need for light commercial or residential buildings. What you will see is clear glass with just a small stainless steel element, nothing more and nothing less. Made of 316 quality stainless steel, this stylish glass adapter is suitable for both indoor and outdoor use. And installation is easy – MOD 4747 features a threaded bar that is equipped with an integral extra-safe Screw Lock. Think modern, choose a minimalist square!

- Maximum transparency
- Minimalist design
- Easy installation by threaded bar equipped with extra-safe Screw Lock





**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Varieties:** Fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 and 316  
**Infills:** Glass  
**Glass thickness:** 8-25,52 mm

**Extra:**  
■ Can be finished with cap rail and/or additional handrail



**Designed for:** Light to medium use  
**Use:** Outdoor  
**Varieties:** Fascia mount  
**Application:** Balconies  
**Material:** Stainless steel 316  
**Infills:** Glass  
**Glass thickness:** 8-21,52 mm

## EASY GLASS® MODEL 0749

### A CLEAR PERSPECTIVE

WALLS AND OTHER SURFACES ARE RARELY PERFECTLY STRAIGHT. WITH EASY GLASS® MOD 0749 THAT IS NO LONGER A PROBLEM! EASY GLASS MOD 0749 FEATURES BUILT-IN ADJUSTABILITY THAT MAKES IT EASY TO POSITION THE GLASS PANELS IN ONE STRAIGHT LINE.

Place the glass adapters out of the sight line for an even greater view, or arrange them in the line of sight as a design statement. Either way, you will be able to easily straighten the glass panels on site. Featuring a choice of fixing methods, the base has space for a mechanical anchor for concrete walls or a bolt to connect to a metal stringer.

The Easy Glass model 0749 is just one more way that Q-railing enables you to design a custom balustrade that addresses the unique criteria and aesthetics of your project.

- Easily straightens glass panels
- Available in various lengths and in diameters of 50, 60 and 70 mm
- Has 2 different ways of fixing and a choice of distance between the concrete and the glass

STATISCHE  
BERECHNUNG  
GEMÄß TRAV

## EASY GLASS® MODEL 6507-6508

### THE JULIET BALCONY – EASIER THAN EVER

INTERNATIONAL  
DESIGN MODEL  
PROTECTION

LOOKING FOR A STUNNING AND COMPLETELY SAFE JULIET BALCONY SYSTEM? EASY GLASS® MOD 6507-6508 IS THE ANSWER. THE SQUARE AND ROUND WALL FLANGES AND CAP RAILS WILL HELP YOU CREATE A FRESH, TRANSPARENT LOOK IN NO TIME.

With Easy Glass MOD 6507-6508, installation is extremely easy. Simply glue the wall flanges to the cap rails, place the rubber profiles onto the glass and clamp the glass into the cap rails. The flanges easily fix to the wall with chemical anchors.

Special to this system is the option of either horizontal or vertical fixing; choose the one which fits the look you want. Either way, you will be able to create Juliet balconies that are up to 2,5 metres wide. The Easy Glass MOD 6507-6508 system conforms with the latest international safety standards.

- Quick installation thanks to glueing and clamping
- Enables both horizontal and vertical fixing
- Flexibility in height and width
- Wall anchors are invisible
- Create a Juliet balcony with a width up to 2,5 metres

STATISCHE  
BERECHNUNG  
GEMÄß TRAV

AbP  
BAUART  
GERÜST





- Affordable aluminium balusters and zamak connectors
- Fast installation – adapters are simply pushed onto the balusters
- Creates an open look
- Tested to resist linear line load forces up to 1 kN
- Highly scratch-resistant

**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Suitable for:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Anthracite grey powder-coated aluminium and zamak  
**Infills:** Bars or glass  
**Glass thickness:** 8-12,76 mm, depending on the chosen glass filling holders

**Extra:**

- Can be combined with round or square, stainless steel or wood handrails
- Handrail can be combined with Q-lights, Q-railing's LED lighted handrail system

## DUO LINE

### HIGH DESIGN ON A BUDGET

DUO LINE IS A MODERN BALUSTER POST RAILING SYSTEM THAT COMBINES STRIKING GOOD LOOKS WITH SURPRISING AFFORDABILITY.

Suitable for both indoor and outdoor use, Duo Line has a modern industrial look and is available for top, fascia and in-floor installation. Budget-conscious builders appreciate the way the aluminium balusters and zamak connectors keep costs in check. Designers love the way the highly scratch-resistant anthracite grey powdercoated balusters combine with stainless steel to create a very attractive railing system.

Can be combined with vertical bars or glass infills to create the look you want. Due to its modular clamping system, assembly is very quick and simple. To install the infills, all you need to do is push the adapters into the balusters and then install the infill holders on the adapters. No drilling or tapping required – and no visible screws to distract the eye.



GOEDKEURING  
VOLGENS B82012  
EUROCODES  
1990-1999:2011  
**NEN 2608**

**STATISCHE  
BERECHNUNG  
GEMÄß TRAV**





# QUICKRAIL®

## DESIGNED TO SAVE TIME

WHEN YOUR PROJECT CALLS FOR A SYMMETRICAL, INDUSTRIAL LOOK WITH SHARP CORNERS AND VISIBLE PARTS – AND YOU WANT IT TO BE EASILY INSTALLED ON SITE – QUICKRAIL® DELIVERS.

Why is this system called Quickrail? The reason is concealed behind the clean, seamless connection to the top rail. Inside each baluster post is a hidden track. Glass connectors and rod holders simply slide onto the posts and lock in place. Choose Quickrail for the easiest of easy ways to install a designer railing system! No welding, no nonsense, just a fantastic and quickly achieved, industrial-looking end result.

- Symmetrical, industrial style
- The perfect balance of brushed aluminium and satin finished stainless steel
- No drilling, screwing or welding required
- Easily accommodates glass, cable or bar infill



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Suitable for:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 or 316 and aluminum  
**Infills:** Bars, cable or glass  
**Glass thickness:** 8-13,52 mm, depending on the chosen glass filling holders

**Extra:**

- Can be combined with round or square, stainless steel or wood handrails
- Handrail can be combined with Q-lights, Q-railing's LED lighted handrail system







# LINEAR LINE

## RIGID LINES, FLAT SHAPES

LINEAR LINE IS A UNIQUE STAINLESS STEEL 316 BALUSTER POST RAILING SYSTEM BASED ON RIGID LINES AND FLAT SHAPES, WITH NO VISIBLE SCREWS TO IMPAIR THE LOOK.

With Linear Line, the stainless steel fittings are clamped onto the adapters through a simple mechanism, while the adapters are simply pushed on to the baluster post itself. There is no need for glass drilling thanks to a new glass holder system. Choose vertical bars or use glass as your infill, held in place with either glass clamps or glass holders. You decide how to achieve the perfect end result.



GOEDKEURING  
VOLGENS B82012  
EUROCODES  
1990-1999:2011  
**NEN 2608**

STATISCHE  
BERECHNUNG  
GEMÄß TRAV

**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Suitable for:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 316  
**Infills:** Bars or glass  
**Glass thickness:** 8-13,52 mm, depending on the chosen glass filling holders

**Extra:**

- Can be combined with round or square, stainless steel or wood handrails
- Handrail can be combined with Q-lights, Q-railing's LED lighted handrail system
- Matching cover caps for baluster posts are available
- Security pin for glass clamps is available



- Fast installation – just push and clamp the adapters onto the baluster posts
- Complete system including a wide choice of infills
- No drilling or welding required
- Able to absorb linear side forces up to 1 kN
- No visible screws







- Available in three variants: 40x40, 60x30 and 40x10
- Square, geometric angles and precise lines
- Includes an extensive range of modular square components
- Tested to resist linear line load forces up to 1 kN



**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Suitable for:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 and 316  
**Infills:** Bars, cable, Easy Q-web or glass  
**Glass thickness:** 6-17,52 mm, depending on the chosen glass filling holders

**Extra:**

- Can be combined with round or square, stainless steel or wood handrails
- Handrail can be combined with Q-lights, Q-railing's LED lighted handrail system
- Matching cover caps for baluster posts are available

## SQUARE LINE®

### STYLISH GEOMETRIC DESIGNS

MAKE A POWERFUL STATEMENT WITH OUR SQUARE LINE®, THE RECTANGULAR AND ULTIMATE ANSWER TO THE DEMAND FOR THE LOOK OF THIS DECADE. SQUARE LINE PROVES HOW SIMPLE GOOD DESIGN CAN BE.

The sharp lines and corners of this baluster system will transform your designs with straighter and modern-looking components. Square Line is available in three variants: Square Line 40x40 for a 100% square look; the robust Square Line 60x30, with thicker balusters that can withstand heavier loads; and Square Line 40x10 as a handrail solution. Because of the modularity of all Q-railing systems, you can even combine Square Line with components of any other Q-railing system. Infill choices include cables, glass, bars or a web system.



STATISCHE  
BERECHNUNG  
GEMÄß TRAV

APPROVED  
to BS 6180

AbP  
BALUST  
GERÜST





## Q-LIGHTS PUT YOUR RAILING IN THE SPOTLIGHT

Create atmosphere and add safety with Q-lights. This complete system includes everything needed to install a durable and long-lasting lit railing with adjustable LED spotlights. Available in 24V for indoor or outdoor use and the more cost-effective 12V version for indoor use, each LED spotlight is pre-wired to fit perfectly into the handrail using a unique click technology. Q-lights can be installed in a Ø 42,4 or Ø 48,3 mm tube (2 mm thickness), and can therefore be used with any of our round handrails.



## Q-LINE THE TIMELESS CLASSIC

IF YOU PREFER ROUND SHAPES, OUR CLASSIC Q-LINE RANGE OFFERS THE GREATEST SELECTION OF COMPONENTS AND LIMITLESS POSSIBILITIES.

What makes Q-line truly classic is its timeless, minimalist design, with clean and straightforward shapes in rich satin or polished stainless steel that will never go 'out of style.' Q-line includes a surprisingly large array of superior pre-fabricated high-quality components. From the transparency of glass filled railings, to the endless lines of bar infills or the industrial look of cable or web, Q-line has what you need.



- Unlimited design possibilities
- Timeless look
- Extremely wide range of pre-fabricated modular components
- Available with various infills
- No welding required, installation achieved with gluing, drilling and tapping

**Designed for:** Light to medium use  
**Use:** Indoor and outdoor  
**Suitable for:** Top, in-floor and fascia mount  
**Applications:** Stairs and balustrades  
**Material:** Stainless steel 304 and 316  
**Infills:** Bars, cable, Easy Q-web or glass  
**Glass thickness:** 6-17,52 mm, depending on the chosen glass filling holders

**Extra:**

- Can be combined with round or square, stainless steel or wood handrails
- Handrail can be combined with Q-lights, Q-railing's LED lighted handrail system
- Matching cover caps for baluster posts are available
- Security pin for glass clamps are available







Designed for: Light to medium use  
Use: Indoor and outdoor  
Suitable for: Top and fascia mount  
Applications: Stairs, balustrades and swimming pool fences  
Material: Stainless steel 2205  
Infills: Glass  
Glass thickness: 6-12,76 mm

Extra:

- Can be finished with additional handrail
- Matching cover caps for baluster posts are available
- Security pin for glass clamp model 28 (2205-quality) is available



## ULTRA RANGE

### OUTSTANDING RESISTANCE

### GUARANTEED



ULTRA RANGE IS THE FIRST AND ONLY Q-RAILING RAILING SYSTEM MADE OUT OF STAINLESS STEEL 2205, AN EXTREMELY CORROSION-RESISTANT MATERIAL.

The Ultra Range provides unmatched quality, with extra resistance to tea-staining and pitting. Thanks to durable, corrosion-resistant materials, this range is ideal for swimming pools and coastal areas alike. The components feature rounded-off corners and sloping surfaces, to help ensure that substances which could cause corrosion easily slide off before they can do any damage. Ultra Range comes with a 2-year warranty\*, quality guaranteed.

- Extremely corrosion resistant
- Suitable for coastal regions and swimming pool environments
- No welding required
- Comes with a 2-year corrosion-free guarantee\*

\* Corrosion-free guarantee for 2 years, subject to terms and conditions.





